ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 46161 hydraulic fluid Article number: 46161 UFI: H4U3-X47W-A00C-SXGY

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

Company +49 2333 911-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Signal word DANGER
Contains: Base oil

Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statementsP101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 2 / 11

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards No particular hazards known.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	Base oil
	CAS: 72623-86-0, EINECS/ELINCS: 276-737-9, Reg-No.: 01-2119474878-16-XXXX
	GHS/CLP: Asp. Tox. 1: H304
10 - < 20	1-Decene, Dimer, hydrogenated
	CAS: 68649-11-6, EINECS/ELINCS: 500-228-5
	GHS/CLP: Asp. Tox. 1: H304 - Acute Tox. 4: H332
0,1 - < 0,25	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol
,	CAS: 1218787-32-6, EINECS/ELINCS: 620-540-6, Reg-No.: 01-2119510877-33-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 10

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to your doctor.

Ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 3 / 11

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Substance

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

Industrial, dermal, Long-term - systemic effects, 0.3 mg/kg bw/day

Industrial, inhalative, Long-term - systemic effects, 2.112 mg/m³

general population, oral, Long-term - systemic effects, 0.214 mg/kg bw/day

general population, dermal, Long-term - systemic effects, 0.214 mg/kg bw/day

PNEC

Substance

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

oral (food), 2 mg/kg food

soil, 5 mg/kg soil dw

sediment (seawater), 0.169 mg/kg sediment dw

sediment (freshwater), 1.692 mg/kg sediment dw

sewage treatment plants (STP), 1500 µg/L

seawater, 0.021 µg/L

freshwater, 0.214 µg/L

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

Safety glasses. (EN 166:2001)

general population, inhalative, Long-term - systemic effects, 0.745 mg/m³

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3). > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 5 / 11

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Color green

Odor characteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicable

Boiling point [°C]No information available.

Flash point [°C] 145

Flammability (solid, gas) [°C] No information available.

Lower explosion limit not applicable

Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0,85 (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Solubility other solvents

Partition coefficient [n-octanol/water]

Kinematic viscosity

Relative vapour density

Evaporation speed

Melting point [°C]

Auto-ignition temperature

Decomposition temperature [°C]

No information available.

No information available.

No information available.

No information available.

Particle characteristics No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 6 / 11

10.5 Incompatible materials

Acids Oxidizing agent Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 7 / 11

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

Base oil, CAS: 72623-86-0

LD50, oral, Rat, > 2001 mg/kg

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

LD50, oral, Rat, 1500 mg/kg bw (OECD 425)

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Base oil, CAS: 72623-86-0

LD50, dermal, Rabbit, > 2001 mg/kg

Acute inhalational toxicity

Product

ATE-mix, inhalation (vapour), 289,47 mg/l

Substance

Base oil, CAS: 72623-86-0

LC50, inhalative, Rat, > 5,53 mg/l/4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — Based on the available

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6

NOAEL, oral, Dog, 13 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are fulfilled.

May be fatal if swallowed and enters airways.

On basis of test data

General remarks

Toxicological data of complete product are not available.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 8 / 11

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards

Endocrine disrupting properties No information available.

Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance	
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol, CAS: 1218787-32-6	-
LC50, (24h), Danio rerio, >0.29 mg/L (OECD 203)	
EC50, (24h), Daphnia magna, 0.21 mg/L (OECD 202)	
EC10, (72h), Daphnia magna, 34.1 μg/L (OECD 201)	
EC10, (21d), Daphnia magna, 10.7 μg/L (OECD 211)	

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined

Biological degradability The product is slightly soluble in water. It can be largely eliminated from the water by abiotic

processes, e.g. mechanical separation.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials. Do not discharge product unmonitored into the environment.

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 9 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Dispose of as hazardous waste.

In according to RoHS!

Waste no. (recommended) 130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102 150104

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022

Version 07. Supersedes version: 06

Page 10 / 11

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 0%

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed. H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways.

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.02.2022, Revision 11.02.2022



Version 07. Supersedes version: 06

Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

Modified position none