Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Page

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 48785 Gear oil 75W - 85 Article number: 48785 UFI: 1E3C-14DK-000X-JQK8

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com

E-mail info@febi.com
Address enquiries to
Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Signal word	WARNING
Hazard statements	H319 Causes serious eye irritation.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards

Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	No particular hazards known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Page 2 / 13

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 25	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 3	Phosphoric acid esters, amine salt
	EINECS/ELINCS: 942-466-6
	GHS/CLP: Eye Dam. 1: H318
1 -< 5	Polysulfides, di-tert-Bu
	CAS: 68937-96-2, EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43
	GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 3: H412
	SCL [%]: >= 46: Skin Sens. 1B: H317
0,1 - < 0,25	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol
	CAS: 95-38-5, EINECS/ELINCS: 202-414-9, Reg-No.: 01-2119777867-13-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - STOT RE 2: H373 - Aquatic Acute 1: H400 - Aquatic
	Chronic 1: H410,
	M-Factor (acute): 10, M-Factor (chronic): 1

Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
	For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Consult a doctor immediately. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing mediaFoam, dry powder, water spray jet, carbon dioxide.Extinguishing media that must not
be usedFull water jet.

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07

Page 3 / 13

5.2	Special hazards arising from the substance or mixture		
0.2		Risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx).	
5.3	Advice for firefighters		
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. Cool containers at risk with water spray jet.	
SEC	TION 6: Accidental release meas	ures	
6.1	Personal precautions, protective	e equipment and emergency procedures	
		Some risk of slipping due to spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	6.3 Methods and material for containment and cleaning up		
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		No special measures necessary if used correctly.	
		Use only in well-ventilated areas. Use solvent-resistant equipment.	
		Use solvent-resistant equipment.	
7.2	Conditions for safe storage, inc	Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets.	
7.2	Conditions for safe storage, inc	Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets.	
7.2	Conditions for safe storage, inc	Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets. Iuding any incompatibilities Keep only in original container.	
7.2	Conditions for safe storage, inc	Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets. Iuding any incompatibilities Keep only in original container. Prevent penetration into the ground.	
7.2	Conditions for safe storage, inc Specific end use(s)	Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets. Iuding any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with oxidizing agents. Keep container in a well-ventilated place.	

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07

Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)	
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX	
Long-term exposure: 5 mg/m ³ , oil mist	
Short-term exposure (15-minute): 10 mg/m ³	

DNEL

Substance	
Destillates (petro	leum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, derma	I, Long-term - systemic effects, 970 μg/kg bw/day
Industrial, inhalat	ive, Long-term - local effects, 5.58 mg/m ³
Industrial, inhalat	ive, Long-term - systemic effects, 2.73 mg/m ³
general populatio	on, oral, Long-term - systemic effects, 740 μg/kg bw/day
general populatio	on, inhalative, Long-term - local effects, 1.19 mg/m ³
Polysulfides, di-te	ert-Bu, CAS: 68937-96-2
Industrial, derma	I, Long-term - systemic effects, 3.33 mg/kg bw/day
Industrial, inhalat	ive, Long-term - systemic effects, 14.5 mg/m ³
general population	on, dermal, Long-term - systemic effects, 1.66 mg/kg bw/day
general population	on, inhalative, Long-term - systemic effects, 2.6 mg/m ³
2-(2-heptadec-8-	enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5
Industrial, derma 2 mg/kg bw/day	I, Acute - systemic effects, 2 mg/kg bw/day
Industrial, derma	I, Long-term - systemic effects, 0.06 mg/kg bw/day
Industrial, inhalat	ive, Acute - systemic effects, 14 mg/m ³
Industrial, inhalat	ive, Long-term - systemic effects, 0.46 mg/m ³

PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Polysulfides, di-tert-Bu, CAS: 68937-96-2
soil, 1513 mg/kg soil dw 4.51 mg/L
sediment (seawater), 0.094 mg/kg sediment dw 4.51 mg/L
sediment (freshwater), 0.94 mg/kg sediment dw 4.51 mg/L
sewage treatment plants (STP), 4.51 mg/L 4.51 mg/L
seawater, 0.024 µg/L
freshwater, 0.24 µg/L
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5
soil, 75 μg/kg soil dw
sediment (seawater), 37.6 µg/kg sediment dw
sediment (freshwater), 376 µg/kg sediment dw

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Pa

Page 5 / 13

sewage treatment plants (STP), 270 µg/L	
seawater, 3 ng/L	
freshwater, 30 ng/L	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Pag

Page 6 / 13

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation on baole phycical and	enennear properties
Physical state	liquid
Color	brown
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	215
Flammability (solid, gas) [°C]	Not explosive.
Lower explosion limit	not self-igniting
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,85 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	78 mm²/s 40°C (DIN 51562)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.
Other information	
	Color Odor Odour threshold pH-value pH-value [1%] Boiling point [°C] Flash point [°C] Flash point [°C] Flammability (solid, gas) [°C] Lower explosion limit Oxidising properties Vapour pressure/gas pressure [kPa] Density [g/cm ³] Relative density Bulk density [kg/m ³] Solubility in water Solubility other solvents Partition coefficient [n-octanol/water] Kinematic viscosity Relative vapour density Evaporation speed Melting point [°C] Auto-ignition temperature Decomposition temperature [°C] Particle characteristics

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong alkalies. Reactions with strong acids.

10.4 Conditions to avoid

Strong heating.

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Page 7 / 13

10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07

Page 8 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
LD50, oral, Rat, 5000 mg/kg bw	
Polysulfides, di-tert-Bu, CAS: 68937-96-2	
LD0, oral, Rat, 2000 mg/kg bw (OECD 401)	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5	
LD50, oral, Rat, 1265 mg/kg	

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Polysulfides, di-tert-Bu, CAS: 68937-96-2

LD0, dermal, Rat, 2000 mg/kg bw (OECD 402)

Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation	Toxicological data of complete product are not available. Irritant Calculation method	
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.	
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.	
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.	
Substance		

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSC	0-extract), CAS: 64742-54-7
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day	
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day	
NOAEC, inhalative, Rat, 980 mg/m ³ air	
LOAEL, oral, Rat, 125 mg/kg bw/day	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5	

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07

Page 9 / 13

NOAEL, o	oral, Rat, 20 mg/kg bw/day
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Substanc	e
Destillate	s (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, d	oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.
2 Information on other haz	ards
Endocrine disrupting prope	rties No information available.
Other information	none
CTION 12: Ecological inforr	nation

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.

ubstance
estillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
L50, (48h), Invertebrates, 10 g/L
OELR, (14d), fish, 1 mg/L
_50, (96h), Invertebrates, 10 g/L
_50, (96h), fish, 100 mg/L
olysulfides, di-tert-Bu, CAS: 68937-96-2
C50, (96h), Danio rerio, >0.088 mg/L (OECD 203)
C50, (72h), Pseudokirchneriella subcapitata, 2.45 mg/L (OECD 201)
C50, (24h), Daphnia magna, >0.27 mg/L (OECD 202)
(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, CAS: 95-38-5
C50, (72h), Algae, 16.9 - 30 μg/L
C50, (48h), Invertebrates, 163 µg/L
C0, (96h), fish, 180 μg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Page 10 / 13

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	130208*
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
	Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Page 11 / 13

14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
		NO DANGEROOD GOODG
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	io 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Page 12 / 13

SECTION 15: Regulatory information

15.1	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014		
	TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)		
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.		
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.		
	- VOC (2010/75/CE)	not applicable		
15.2	Chemical safety assessment			
		Chemical safety assessments for substances in this mixture were not carried out.		
SEC	TION 16: Other information			

16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

- H318 Causes serious eye damage.
- H410 Very toxic to aquatic life with long lasting effects.
- H400 Very toxic to aquatic life.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H314 Causes severe skin burns and eye damage.
- H302 Harmful if swallowed.
- H412 Harmful to aquatic life with long lasting effects.
- H317 May cause an allergic skin reaction.

Route

Ferdinand Bilstein GmbH + Co. KG

Date printed 14.02.2022, Revision 14.02.2022



Version 08. Supersedes version: 07 Page 13 / 13

16.2 Abbreviations and acronyms:

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

- LC0 = lethal concentration, 0%
- LOAEL = lowest-observed-adverse-effect level
- LL50 = Median lethal loading
- LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Modified position

Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method) SECTION 3 been added: 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol SECTION 3 deleted: (Z)-2-(8-heptadecenyl)-4,5-dihydro-1H-imidazole-1-ethanol SECTION 2 deleted: EUH208 May produce an allergic reaction.