

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Product name:

VAICO ATF 6HP

(V60-0172, V60-0173)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	VIEROL AG Karlstraße 19 26123 Oldenburg
Telephone:	+49 441 210 20 - 0
Fax:	+49 441 210 20 - 111

Contact for request of safety data sheets

E-mail:	Automotive lubricants Industrial lubricants	info@vierol.com info@vierol.com
Telephone: Fax:	+49 441 210 20 - 0 +49 441 210 20 - 111	

Informing department for safety data sheets

E-mail:

info@vierol.com

1.4 Emergency telephone number: +49 621 3701-1333 / +49 621 3701-0 (Mo-Do 8-17, Fr 8-16)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards

Chronic hazards to the aquatic	Category 3	H412: Harmful to aquatic life with long lasting
environment		effects.



Hazard summary Physical Hazards:	No data available.	
2.2 Label Elements		
Hazard Statement(s):	H412: Harmful to aquatic life with long lasting effects.	
Precautionary Statements		
Prevention:	P273: Avoid release to the environment.	
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
Supplemental label infor	mation EUH208: Contains: succinic acid derivative. May produce an allergic reac- tion.	
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	REACH Registra- tion No.	Notes
base oil, low viscous	EINECS: 276-738-4	20,00% - <50,00%	01-2119474889-13	
alkarylamine, longchained	EINECS: 253-249-4	1,00% - <5,00%	01-2119488911-28	
phenol derivative	Confidential	1,00% - <5,00%	Confidential	
Alkyl thio phosphite	EC: 424-820-7	0,01% - <0,25%	01-0000017126-75	
succinic acid derivative	EINECS: 299-434-3	0,10% - <1,00%	01-2120735527-50	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Classification

Chemical name	Identifier	Class	ification
base oil, low viscous	EINECS: 276-738-4	CLP:	Asp. Tox. 1;H304
alkarylamine, longchained	EINECS: 253-249-4	CLP:	Aquatic Chronic 4;H413
phenol derivative	Confidential	CLP:	Aquatic Chronic 4;H413
Alkyl thio phosphite	EC: 424-820-7	CLP:	Skin Corr. 1B;H314, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H312, Eye Dam. 1;H318; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10
succinic acid derivative	EINECS: 299-434-3	CLP:	, Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic Chronic 2;H411

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General:	Instantly remove any clothing soiled by the product.	
4.1 Description of first aid measures		
Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.	
SECTION 5: Firefighting measures	8	

5.1 Extinguishing media	
Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.



5.3 Advice for firefighters	
Special fire fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures
6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environ- mental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	e:
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod-

dling:	with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	Not applicable
Storage Class:	10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls



Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to condi- tions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air- borne levels to an acceptable level.
Individual protection measu	res, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Avoid contact with skin and eyes. Goggles/face shield are recommended. risk of splashing, wear safety goggles or face shield. Avoid contact with sk and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routine wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

9.1 Information on basic physical and chemical properties

Appearance

liquid
liquid
Yellow
Characteristic



pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	198 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,84 g/cm3 (15 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	28,3 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral Product:

Not classified for acute toxicity based on available data.



Specified substance(s) base oil, low viscous	LD 50 (Rat): > 5.001 mg/kg (OECD 401)
alkarylamine, long- chained	LD 50 (Rat): > 5.001 mg/kg (OECD 423)
succinic acid derivative	LD 50 (Rat, Male): > 10.000 mg/kg
Dermal Product: Specified substance(s)	ATEmix: 202.669 mg/kg
Alkyl thio phosphite	LD 50 (Rat): > 501 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product: Specified substance(s)	Based on available data, the classification criteria are not met.
alkarylamine, long-	OECD 404 (Rabbit): Not irritant.
phenol derivative	OECD 404 (Rabbit): Not irritant.
Serious Eye Damage/Eye Irri	
Product:	Based on available data, the classification criteria are not met.
Specified substance(s) alkarylamine, long- chained	OECD 405 (Rabbit): Not irritant.
phenol derivative	OECD 405 (Rabbit): Not irritant.
Respiratory or Skin Sensitiza Product:	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria
	are not met.
Specified substance(s) alkarylamine, long- chained	No sensitizing effect (guinea pig); OECD 406
phenol derivative	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity	



Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	Sity - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	Sity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) base oil, low viscous	LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)
alkarylamine, long- chained	LC 50 (Fish, 96 h): > 101 mg/l (OECD 203)
Alkyl thio phosphite	LC 50 (Fish, 96 h): 1,5 mg/l (OECD 203)
succinic acid derivative	LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) alkarylamine, long- chained	EC 50 (Water Flea, 48 h): > 101 mg/l (OECD 202)
phenol derivative	EC 50 (Water Flea, 48 h): > 101 mg/l
Alkyl thio phosphite	EC 50 (Water Flea, 48 h): 0,09 mg/l (OECD 202)
succinic acid derivative	EL50 (Water Flea, 48 h): 9,5 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are met.
Fish Specified substance(s) base oil, low viscous	NOEC (Fish, 14 d): > 1.000 mg/l
Aquatic Invertebrates Specified substance(s) base oil, low viscous	NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)
phenol derivative	NOEC (Water Flea, 21 d): >= 1 mg/l
Alkyl thio phosphite	NOEC (Water Flea, 21 d): 0,14 mg/l



Toxicity to Aquatic Plants Specified substance(s)	
base oil, low viscous	NOEC (Alga, 72 h): > 100 mg/l (OECD 201)
alkarylamine, long- chained	EC 50 (Alga, 72 h): 600 mg/l (OECD 201)
Alkyl thio phosphite	EC 50 (Alga, 72 h): 0,31 mg/l
succinic acid derivative	EL50 (Alga, 72 h): > 100 mg/l (OECD 201)
12.2 Persistence and Degradabili	ty
Biodegradation Product: Specified substance(s) alkarylamine, long-	Not applicable for mixtures 1 % (28 d, OECD 301B) Not easily biodegradable
chained	
12.3 Bioaccumulative potential Product: Specified substance(s)	Not applicable for mixtures
alkarylamine, long- chained	Bioconcentration Factor (BCF): 1.584
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	Harmful to aquatic life with long lasting effects.
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.
SECTION 13: Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.

Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
-------------------	---

European Waste Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils



-
Non-dangerous goods
-
-
-
-
-
-
_
-
Non-dangerous goods
-
-
-
-
-
_
_
Non-dangerous goods
-
-
-
-

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

National Regulations

Water Hazard Class WGK 1: slightly water-endangering. (WGK):



15.2 Chemical safety as- sessment:	No Chemical Safety Assessment has been carried out.
SECTION 16: Other inform	nation
Revision Information:	Vertical lines in the margin indicate an amendment.
Wording of the H-statem	ents in section 2 and 3
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Other information:	The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially simi- lar mixtures" - Expert Judgement
Revision Date: Disclaimer:	16.12.2021 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be de- duced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of pro- cessing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig- nature.