

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: VAICO ATF SPEZIAL (V60-0101, V60-0208, V60-0210)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier VIEROL AG

Karlstraße 19 26123 Oldenburg

Telephone: +49 0441 210 20 - 0 Fax: +49 0441 210 20 - 111

Contact for request of safety data sheets

E-mail: Automotive lubricants

Industrial lubricants

Telephone: +49 0441 210 20 - 0 Fax: +49 0441 210 20 - 111

Informing department for safety data sheets

E-mail: info@vierol.de

1.4 Emergency telephone number: +49 621 3701-1333 / +49 621 3701-0 (Mo-Do 8-17, Fr 8-16)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards

Chronic hazards to the aquatic

environment

Category 3

H412: Harmful to aquatic life with long lasting

info@vierol.de

info@vierol.de

effects.

Issue Date: 30.11.2021
Revision Date: 16.12.2021
Print date: 05.05.2022

Version: 2.0

SDS_DE - EN - 000000000602076410



Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

Hazard Statement(s): H412: Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P273: Avoid release to the environment.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

Supplemental label information

EUH208: Contains: succinic acid derivative. May produce an allergic reac-

tion.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective

equipment (item 8) are kept.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier		REACH Registra- tion No.	Notes
base oil, low viscous	EINECS: 276-738-4	20,00% - <50,00%	01-2119474889-13	
alkarylamine, longchained	EINECS: 253-249-4	1,00% - <5,00%	01-2119488911-28	
phenol derivative	Confidential	1,00% - <5,00%	Confidential	
Alkyl thio phosphite	EC: 424-820-7	0,01% - <0,25%	01-0000017126-75	
succinic acid derivative	EINECS: 299-434-3	0,10% - <1,00%	01-2120735527-50	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Revision Date: 16.12.2021 Print date: 05.05.2022 SDS_DE - EN - 000000000602076410

Issue Date: 30.11.2021

Version: 2.0

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Classification

Chemical name	Identifier	Classi	Classification	
base oil, low viscous	EINECS: 276-738-4	CLP:	Asp. Tox. 1;H304	
alkarylamine, longchained	EINECS: 253-249-4	CLP:	Aquatic Chronic 4;H413	
phenol derivative	Confidential	CLP:	Aquatic Chronic 4;H413	
Alkyl thio phosphite	EC: 424-820-7		Skin Corr. 1B;H314, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H312, Eye Dam. 1;H318; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10	
succinic acid derivative	EINECS: 299-434-3	CLP:	, Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic Chronic 2;H411	

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing me-

dia:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

ed

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mix-

During fire, gases hazardous to health may be formed.

ture:

Issue Date: 30.11.2021 Revision Date: 16.12.2021 Print date: 05.05.2022

SDS_DE - EN - 000000000602076410

Revision Date: 16.12.2021 Version: 2.0



5.3 Advice for firefighters

Special fire fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regula-

tions. Stop the flow of material, if this is without risk.

6.4 Reference to other sec-

tions:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on dis-

posal.

SECTION 7: Handling and storage:

7.1 Precautions for safe han-

dling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Pro-

vide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibili-

ties:

Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): Not applicable

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Issue Date: 30.11.2021 Revision Date: 16.12.2021 Print date: 05.05.2022

SDS_DE - EN - 000000000602076410

Version: 2.0



Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

> ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-**Respiratory Protection:**

pour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

> handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid Color: Red

Odor: Characteristic

pH: substance/mixture is non-soluble (in water)

Freezing point: not determined

Issue Date: 30.11.2021 Revision Date: 16.12.2021

SDS_DE - EN - 000000000602076410

Version: 2.0 Print date: 05.05.2022



Boiling Point: not determined

Flash Point: 212 °C

Evaporation Rate:Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Relative vapor density:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0,84 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:not determinedDecomposition Temperature:not determinedKinematic viscosity:34 mm2/s (40 °C)

Explosive properties:Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

Particle characteristics:Not applicable9.2 Other informationNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition Th

Products:

Thermal decomposition or combustion may liberate carbon oxides and oth-

er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Issue Date: 30.11.2021 Revision Date: 16.12.2021 Print date: 05.05.2022

Print date: 05.05.2022 SDS_DE - EN - 00000000602076410 Version: 2.0



Specified substance(s)

base oil, low viscous LD 50 (Rat): > 5.001 mg/kg (OECD 401)

alkarylamine, long-

chained

LD 50 (Rat): > 5.001 mg/kg (OECD 423)

succinic acid derivative LD 50 (Rat, Male): > 10.000 mg/kg

Dermal

Product: ATEmix: 202.669 mg/kg

Specified substance(s)

Alkyl thio phosphite LD 50 (Rat): > 501 mg/kg

Inhalation

Product:

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Specified substance(s)

alkarylamine, long-OECD 404 (Rabbit):

chained Not irritant.

phenol derivative OECD 404 (Rabbit):

Not irritant.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Specified substance(s)

alkarylamine, long-OECD 405 (Rabbit):

chained Not irritant.

OECD 405 (Rabbit): phenol derivative

Not irritant.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

Based on available data, the classification criteria are not met.

are not met.

Specified substance(s)

alkarylamine, long-

chained No sensitizing effect (guinea pig); OECD 406

phenol derivative

No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Issue Date: 30.11.2021 Revision Date: 16.12.2021

SDS_DE - EN - 000000000602076410

Version: 2.0 Print date: 05.05.2022



Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

base oil, low viscous LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

alkarylamine, long-

chained

LC 50 (Fish, 96 h): > 101 mg/l (OECD 203)

Alkyl thio phosphite LC 50 (Fish, 96 h): 1,5 mg/l (OECD 203)

succinic acid derivative LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

alkarylamine, long-

chained

EC 50 (Water Flea, 48 h): > 101 mg/l (OECD 202)

phenol derivative EC 50 (Water Flea, 48 h): > 101 mg/l

Alkyl thio phosphite EC 50 (Water Flea, 48 h): 0,09 mg/l (OECD 202)

succinic acid derivative EL50 (Water Flea, 48 h): 9,5 mg/l (OECD 202)

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

Fish

Specified substance(s)

base oil, low viscous NOEC (Fish, 14 d): > 1.000 mg/l

Aquatic Invertebrates Specified substance(s)

base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)

phenol derivative NOEC (Water Flea, 21 d): >= 1 mg/l

Alkyl thio phosphite NOEC (Water Flea, 21 d): 0,14 mg/l

Issue Date: 30.11.2021 Revision Date: 16.12.2021 Print date: 05.05.2022

SDS_DE - EN - 000000000602076410

Version: 2.0



Toxicity to Aquatic Plants Specified substance(s)

base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD 201)

alkarylamine, long-

chained

EC 50 (Alga, 72 h): 600 mg/l (OECD 201)

Alkyl thio phosphite EC 50 (Alga, 72 h): 0,31 mg/l

succinic acid derivative EL50 (Alga, 72 h): > 100 mg/l (OECD 201)

12.2 Persistence and Degradability

Biodegradation

Product: Not applied Specified substance(s)

alkarylamine, long-

alkarylamine, long-

chained

Not applicable for mixtures

1 % (28 d, OECD 301B) Not easily biodegradable

12.3 Bioaccumulative potential

Product:

Not applicable for mixtures

Specified substance(s)

alkarylamine, long-

chained

Bioconcentration Factor (BCF): 1.584

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: Harmful to aquatic life with long lasting effects.

Water Hazard Class

(WGK):

WGK 1: slightly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

European Waste Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

Issue Date: 30.11.2021 Revision Date: 16.12.2021 Print date: 05.05.2022

SDS_DE - EN - 000000000602076410

Version: 2.0



SECTION 14: Transport information

ADR/RID

14.1 UN Number: 14.2 UN Proper Shipping Name: -

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
Hazard No. (ADR): –
Tunnel restriction code: –

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

IMDG

14.1 UN Number: -

14.2 UN Proper Shipping Name: -

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
EmS No.: –

14.3 Packing Group: –

14.5 Environmental hazards: –14.6 Special precautions for user: –

IATA

14.1 UN Number: – 14.2 Proper Shipping Name: –

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

National Regulations

Water Hazard Class WGK 1: slightly water-endangering.

(WGK):

Issue Date: 30.11.2021 Revision Date: 16.12.2021 Print date: 05.05.2022

SDS_DE - EN - 000000000602076410



15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Other information:

The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially similar mixtures" - Expert Judgement

Revision Date:

16.12.2021

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

Issue Date: 30.11.2021 Revision Date: 16.12.2021

Print date: 05.05.2022 SDS_DE - EN - 00000000602076410