

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**Product name:** VAICO ATF MB 15 V60-0220, V60-0221

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier VIEROL AG

> Karlstraße 19 26123 Oldenburg

+49 441 210 20 - 0 Telephone: Fax: +49 441 210 20 - 111

Contact for request of safety data sheets

E-mail: Automotive lubricants info@vierol.com info@vierol.com

Industrial lubricants

Telephone: +49 441 210 20 - 0 Fax: +49 441 210 20 - 111

Informing department for safety data sheets

E-mail: info@vierol.com

1.4 Emergency telephone number: +49 621 3701-1333 / +49 621 3701-0 (Mo-Do 8-17, Fr 8-16)

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

**Health Hazards** 

Aspiration Hazard Category 1 H304: May be fatal if swallowed and enters air-

ways.

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022

SDS\_DE - EN - 000000000602072269

Version: 2.6



Version: 2.6

2/11

Product name: VAICO ATF MB 15

**Hazard summary** 

Physical Hazards: No data available.

**Health Hazards** 

**Ingestion:** If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

2.2 Label Elements

Contains: base oil, low viscous



Signal Words: Danger

**Hazard Statement(s):** H304: May be fatal if swallowed and enters airways.

**Precautionary Statements** 

Response: P301+P310: IF SWALLOWED: Immediately call a POISON CEN-

TER/doctor.

P331: Do NOT induce vomiting.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the envi-

ronment without control.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**General information:** Mixture containing severely refined base oils and additives.

Chemical name	Identifier		REACH Registra- tion No.	Notes
base oil, low viscous	EINECS: 276-738-4	50,00% - <100,00%	01-2119474889-13	
Alkyl amine	EC: 620-540-6	0,10% - <0,25%	01-2119510877-33	
Alkylamine, longchain	EINECS: 204-694-8	0,01% - <0,10%	01-2119486676-20	
prim. alkanolamine ether	EC: 939-485-7	0,01% - <0,10%	01-2119974116-35	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Issue Date: 30.10.2013 Revision Date: 08.10.2021

Print date: 03.04.2022

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



#### Classification

Chemical name	Identifier	Classi	Classification	
base oil, low viscous	EINECS: 276-738-4	CLP:	Asp. Tox. 1;H304	
Alkyl amine	EC: 620-540-6	CLP:	Skin Corr. 1C;H314, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1	
Alkylamine, longchain	EINECS: 204-694-8	CLP:	Skin Corr. 1B;H314, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1	
prim. alkanolamine ether	EC: 939-485-7	CLP:	Acute Tox. 4;H302, Skin Corr. 1B;H314, Eye Dam. 1;H318, Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 100; M-Factor (aquatic chronic): 1	

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

# **SECTION 4: First aid measures**

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

delayed:

If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

ed

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022 SDS DE - EN - 000000000602072269

Revision Date: 08.10.2021 Version: 2.6



Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

**6.2 Environmental Precautions:** 

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

# **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities:

Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s):

Not applicable

Storage Class:

10, Combustible liquids

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022 SDS\_DE - EN - 000000000602072269



### **SECTION 8: Exposure controls/personal protection**

# **8.1 Control Parameters**

**Occupational Exposure Limits** 

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Safety glasses (EN 166) recommended during refilling.

Skin protection

**Hand Protection:** Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-

pour/ aerosol.

Thermal hazards: Not known.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

**Environmental Controls:** No data available.

# **SECTION 9: Physical and chemical properties**

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022



9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state:liquidForm:liquidColor:Blue

Odor: Characteristic

**pH:** substance/mixture is non-soluble (in water)

Freezing point: not determined Boiling Point: not determined

Flash Point: 190 °C

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Relative vapor density: Not applicable for mixtures

**Density:** 0,84 g/ml (15,00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:not determinedDecomposition Temperature:not determinedKinematic viscosity:18 mm2/s (40 °C)

**Explosive properties:** Value not relevant for classification **Oxidizing properties:** Value not relevant for classification

Particle characteristics: Not applicable

9.2 Other information No data available.

**SECTION 10: Stability and reactivity** 

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

**10.6 Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and oth-

er toxic gases or vapors.

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022



# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

base oil, low viscous LD 50 (Rat): > 5.001 mg/kg (OECD 401)

LD 50 (Rat): 1.350 mg/kg (OECD 401) Alkyl amine

Alkylamine, longchain LD 50 (Rat): 1.230 mg/kg (OECD 401)

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

Alkylamine, longchain LD 50 (Rabbit): 8.000 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Alkyl amine

No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are not met.

Issue Date: 30.10.2013 Revision Date: 08.10.2021

SDS\_DE - EN - 000000000602072269

Version: 2.6 Print date: 03.04.2022



**Aspiration Hazard** 

**Product:** May be fatal if swallowed and enters airways.

Other adverse effects: No data available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

**Fish** 

Specified substance(s)

LC 50 (Fish, 96 h): > 100 mg/l (OECD 203) base oil, low viscous

Alkyl amine LC 50 (Fish, 96 h): 0,1 mg/l (OECD 203)

Alkylamine, longchain LC 50 (Fish, 96 h): 0,26 mg/l

**Aquatic Invertebrates** Specified substance(s)

Alkyl amine EC 50 (Water Flea, 48 h): 0,043 mg/l (OECD 202)

Alkylamine, longchain EC 50 (Water Flea, 48 h): 0,0558 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Specified substance(s)

base oil, low viscous NOEC (Fish, 14 d): > 1.000 mg/l

Aquatic Invertebrates Specified substance(s)

base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)

Alkyl amine EC 10 (Water Flea, 21 d): 0,0107 mg/l (OECD 211)

NOEL (Water Flea, 21 d): 0,036 mg/l Alkylamine, longchain

**Toxicity to Aquatic Plants** Specified substance(s)

base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD 201)

EC 50 (Alga, 72 h): 0,0538 mg/l (OECD 201) Alkyl amine

NOEC (Alga, 72 h): 0,0156 mg/l

Alkylamine, longchain EC 50 (Alga, 72 h): 0,0165 mg/l

#### 12.2 Persistence and Degradability

**Biodegradation** 

Product: Not applicable for mixtures

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022

SDS\_DE - EN - 000000000602072269

Version: 2.6



Specified substance(s)

Alkyl amine 63 % (28 d, OECD 301D) Readily biodegradable

68 % (28 d, OECD 301D) Readily biodegradable Alkylamine, longchain

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

**Water Hazard Class** 

(WGK):

WGK 2: significantly water-endangering.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

### **European Waste Codes**

13 02 08\*: other engine, gear and lubricating oils

# **SECTION 14: Transport information**

# ADR/RID

14.1 UN Number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): Hazard No. (ADR): Tunnel restriction code:

14.4 Packing Group:

14.5 Environmental hazards: 14.6 Special precautions for user:

Revision Date: 08.10.2021 Print date: 03.04.2022

Issue Date: 30.10.2013



**IMDG** 

14.1 UN Number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): – EmS No.: –

14.3 Packing Group:
14.5 Environmental hazards:
14.6 Special precautions for user:

**IATA** 

14.1 UN Number: –

14.2 Proper Shipping Name: -

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

**National Regulations** 

**Water Hazard Class** 

(WGK):

WGK 2: significantly water-endangering.

15.2 Chemical safety as-

sessment:

No Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022

SDS\_DE - EN - 000000000602072269

Version: 2.6



### Wording of the H-statements in section 2 and 3

H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Other information: The classification complies with the current EU lists; however, it has been

supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially simi-

lar mixtures" - Expert Judgement

**Revision Date:** 08.10.2021

**Disclaimer:** The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-

nature.

Issue Date: 30.10.2013 Revision Date: 08.10.2021 Print date: 03.04.2022